Screener ID:	Screener Age
Screener ID:	Screener Age

Child Name:

## COMMONWEALTH OF KENTUCKY CABINET FOR HEALTH AND FAMILY SERVICES DEPARTMENT FOR COMMUNITY BASED SERVICES

## SAFESPACE SCREENER REPORT

Screener ID:
Case Number:
Individual ID:
Child Name:
Child DOB:
Child Age at Time Screener Started:
Child's Gender:
Case Manager Name:
Case Manager Region:
Case Manager County:
Date Screener Started:
Date Screener Finalized:

Scre	ener ID:	
Child	Child Name:	
	YOUNG CHILD PTSD A CHECKLIST (0-6 YRS)	
Below	is a list of stressful or scary events. Select whether your child has experienced each below.	
1.	Accident or crash with automobile, plane or boat	
	□ No	
2.	Attacked by an animal	
	Yes	
	□ No	
3.	Man-made disasters (fire, war, etc.)	
	Yes	
	□ No	
4.	Natural Disasters (hurricane, tornado, flood)	
	Yes	
	□ No	
5.	Hospitalization or invasive medical procedures	
	Yes	
	□ No	
6.	Physical abuse	
	Yes	
	□ No	
7.	Sexual abuse, sexual assault, or rape	
	Yes	
	□ No	
8.	Accidental burning	
	Yes	
	No	

Scre	ener ID:
Child	d Name:
9.	Near drowning
	Yes
	□ No
10.	Witnessed another person being beaten, raped, threatened with serious harm, shot at, seriously wounded, or killed
	Yes
	□ No
11.	Kidnapped
	Yes
	□ No
12.	Not having basic needs met, such as food and shelter; Or left alone repeatedly for more than a few minutes
	Yes
	□ No
13.	Other:

Sc	reener ID:
Ch	ild Name:
	YOUNG CHILD PTSD B CHECKLIST (1-6 YRS)
	w is a list of symptoms that children can have after life-threatening events. Please mark the box for the answer that describes how often the symptom has bothered your child in the last month.
1.	Does your child have intrusive memories of the trauma? Does s/he bring it up on his/her own?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
2.	Does your child re-enact the trauma in play with dolls or toys? This would be scenes that look just like the trauma. Or does s/he act it out by him/herself or with other kids?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
3.	Is your child having more nightmares since the trauma(s) occurred?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
4.	Does your child act like the traumatic event is happening to him/her again, even when it isn't? This is where a child is acting like they are back in the traumatic event and aren't in touch with reality. This is a pretty obvious thing when it happens.
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday

Sc	creener ID:
Cł	nild Name:
5.	Since the trauma(s) has s/he had episodes when s/he seems to freeze? You may have tried to snap him/her out of it but s/he was unresponsive.
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
6.	Does s/he get upset when exposed to reminders of the event(s)? For example, a child who was in a car wreck might be nervous while riding in a car now. Or, a child who was in a hurricane might be nervous when it is raining. Or, a child who saw domestic violence might be nervous when other people argue. Or, a girl who was sexually abused might be nervous when someone touches her.
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
7.	Does your child get physically distressed when exposed to reminders? Like heart racing, shaking hands, sweaty, short of breath, or sick to his/her stomach? Think of the same type of examples as in #6.
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
8.	Does your child try to avoid conversations that might remind him/her of the trauma(s)? For example, if other people talk about what happened, does s/he walk away or change the topic?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday

Ch	ild Name:
9.	Does your child try to avoid things or places that remind him/her of the trauma(s)? For example, a child who was in a car wreck might try to avoid getting into a car. Or, a child who saw domestic violence might be nervous to go in the house where it occurred. Or, a girl who was sexually abused might be nervous about going to bed because that's where she was abused before.
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
10.	Does your child have difficulty remembering the whole incident? Has s/he blocked out the entire event?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
11.	Has s/he lost interest in doing things that s/he used to like to do since the trauma(s)?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
12.	Since the trauma(s), does your child show a restricted range of emotions on his/her face compared to before?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
13.	Has your child lost hope for the future? For example, s/he believes will not have fun tomorrow, or will never be good at anything.
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday

Screener ID:

50	reener id:
Ch	ild Name:
14.	Since the trauma(s) has your child become more distant and detached from family members, relatives, or friends?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
15.	Has s/he had a hard time falling asleep or staying asleep since the trauma(s)?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
16.	Has your child become more irritable, or had outbursts of anger, or developed extreme temper tantrums since the trauma(s)?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
17.	Has your child had more trouble concentrating since the trauma(s)?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
18.	Has s/he been more "on the alert" for bad things to happen? For example, does s/he look around for danger?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday

Scr	eener ID:
Chi	ld Name:
19.	Does your child startle more easily than before the trauma(s)? For example, if there's a loud noise or someone sneaks up behind him/her, does s/he jump or seem startled?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
20.	Has your child become more physically aggressive since the trauma(s)? Like hitting, kicking, biting, or breaking things.
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
21.	Has s/he become more clingy to you since the trauma(s)?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
22.	Did night terrors start or get worse after the trauma(s)? Night terrors are different from nightmares: in night terrors a child usually screams in their sleep, they don't wake up, and they don't remember it the next day.
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
23.	Since the trauma(s), has your child lost previously acquired skills? For example, lost toilet training? Or, lost language skills? Or, lost motor skills working snaps, buttons, or zippers?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday

Sci	reener ID:
Ch	ild Name:
24.	Since the trauma(s), has your child developed any new fears about things that don't seem related to the trauma (s)? What about going to the bathroom alone? Or, being afraid of the dark?
	Not at all
	Once a week or less/once in a while
	2 to 4 times a week/half the time
	5 or more times a week/almost always
	Everyday
Do t	he symptoms that you endorsed above get in the way of your child's ability to function in the following areas?
25.	Do (symptoms) substantially "get in the way" of how s/he gets along with you, interfere in your relationship, or make you feel upset or annoyed?
	Hardly ever/none
	Some of the time
	About half the days
	More than half the days
	Everyday
26.	Do these (symptoms) "get in the way" of how s/he gets along with brothers or sisters, and make them feel upset or annoyed?
	Hardly ever/none
	Some of the time
	About half the days
	More than half the days
	Everyday
27.	Do these (symptoms) "get in the way" with the teacher or the class more than average?
	Hardly ever/none
	Some of the time
	About half the days
	More than half the days
	Everyday

Sc	reener ID:
Ch	ild Name:
28.	Do (symptoms) "get in the way" of how s/he gets along with friends at all - at daycare, school, or in your neighborhood?
	Hardly ever/none
	Some of the time
	About half the days
	More than half the days
	Everyday
29.	Do (symptoms) make it harder for you to take him/her out in public than it would be with an average child? Is it harder to go out with your child to places like the grocery store? Or to a restaurant?
	Hardly ever/none
	Some of the time
	About half the days
	More than half the days
	Everyday
30.	Do you think that these behaviors cause your child to feel upset?
	Hardly ever/none
	Some of the time
	About half the days
	More than half the days
	Everyday